



PRODUCT CATALOGUE INSTRUMENT TRANSFORMER



CT INDOOR

TCI-24-2E



CTB-24



TCI-24-2D



| | |
|----------------------------------|--|
| Highest System Voltage | 24 kV |
| Rated Primary Current | 5 to 3200 A |
| Rated Short-time Thermal Current | Up to 50kA/3s (Depend on Rated Primary Current, Accuracy Class & Burden) |
| Accuracy Class | Measurement : 0.2S, 0.2, 0.5S, 0.5, 1, 0.5FS5, 0.5FS10 Protection : 10P10, 5P10, 5P15, 5P20, PX |
| Rated Burden | Up to 30 VA Outputs higher than 40VA are available upon request |

RING CT

RCT-1L2



ZTA-1B



BCT Oil



| | |
|------------------------|---|
| Highest System Voltage | 0.72 kV up to 1.2 kV |
| Rated Primary Current | 50 to 1250 A (BCT Oil up to 5000A) |
| Accuracy Class | Measurement: 0.2S, 0.2, 0.5S, 0.5, 1, 0.5FS5, 0.5FS10 Protection : 10P10, 5P10, 5P15, 5P20, PX |
| Rated Burden | Up to 30 VA Output higher than 40 VA available upon request |

VT INDOOR

VTB-24



VTI -24-2



VT-24A



VTI-24-4



VT-24F



VT-24-2B1S



| | |
|------------------------|--|
| Highest System Voltage | 24 kV |
| Rated Primary Current | Up to $22.9/\sqrt{3}$ kV (22.9 kV for VT-24-2B1S/2S) |
| Rated Voltage Factor | Up to 1.9 $U_n/8Hr$ |
| Accuracy Class | Measurement: 0,2 - 0,5 - 1,0 Protection : 3P; 6P |
| Rated Burden | Up to 100 VA |

VT OUTDOOR

VT24 (0) 1B1S/2S



2VTO - 24



| | |
|------------------------|---|
| Highest System Voltage | 24 kV |
| Rated Primary Voltage | up to 22.9 kV/√3 kV (22.9 kV for 2VTO-24) |
| Rated Voltage Factor | Up to 1.9 Un/8Hr |
| Accuracy Class | Measurement: 0,2 - 0,5 - 1,0 Protection : 3P; 6P |
| Rated Burden | Up to 100 VA for VT24 (0) 1B1S/2S Up to 500 VA for 2VTO - 24 |

CT OUTDOOR

CT-24(0)-1C1R/1C2R/
2C1R/2C2R



| | |
|--|--|
| Highest System Voltage | 24 kV |
| Rated Primary Current | 10 to 600 A |
| Rated Short Thermal Current (I _{th}) | Up to 25kA/1s Depend on Rated Primary Current, Accuracy Class and Burden |
| Accuracy Class | 0.2S - 0.2 - 0.5S - 0.5 5P10; 5P20 |
| Rated Burden | up to 30 VA |

OTHER PRODUCTS

CTB-24-B2



TCI-24-4B



Dry Type



TCI-24-4C



VTB-12



VTB-24-2



RCT-1A3



VTB-12F



CTB-24-2A



HEAD OFFICE

PT. TRAFIINDO PRIMA PERKASA

Jl. Hayam Wuruk 4FX

Jakarta 10120, Indonesia

Phone: +62 21 385 0703, 345 1384

Fax: +62 21 385 0702, 386 1869

FACTORY – TRANSFORMER

Jl. Siliwangi Kel. Alam Jaya, Kec. Jatiuwung

Tangerang, Banten, Indonesia

Phone: +62 21 590 3801, 590 3802

Fax: +62 21 590 0616

For sales inquiries:

marketing@trafoindonesia.com

For transformer services:

trafo@trafoindonesia.com

Visit us www.trafoindonesia.com

FACTORY – CTVT

Jl. Siliwangi Kel. Alam Jaya, Kec. Jatiuwung

Tangerang, Banten, Indonesia

Phone: +62 21 5931 9002, 5931 9005

Fax: +62 21 5931 9001

For sales inquiries:

sales.ctvt@trafoindonesia.com